

CATALOGUE 2025 / 2026

PRUNING TOOLS

www.campagnola.co.uk





KRONOS 58 AND LI-ION 700

- > Automatic lubrication
- > Backpack battery



CHARACTERISTICS	
CUTTING Ø*	180 mm
CHAIN AND BAR	7" - 1/4" - 48 links
CHAIN SPEED	11.4 - 14.8 m/sec
AUTONOMY	600 Ø 10 cm cuts
WEIGHT WITH 160 CM EXTENSION POLE	4.1 kg

* ACCORDING TO THE WOOD TYPE



ELECTRIC SHEARS

NOVA 35



MADE IN ITALY

TOOL SUPPLIED WITHOUT BATTERIES

EXTRA PERFORMANCE

Choose your battery

EP1425

2.5 Ah - 14.4 V

Autonomy:
up to 4 hours



EP1450

5 Ah - 14.4 V

Autonomy:
up to 8 hours



Included in the kit



Holster

Backpack

CHARACTERISTICS

CUTTING Ø*	35 mm
WEIGHT WITHOUT BATTERY	0.7 kg
WEIGHT WITH BATTERY - 2.5 AH	1 kg
WEIGHT WITH BATTERY - 5 AH	1.1 kg

* ACCORDING TO THE WOOD TYPE

NOVA 40



MADE IN ITALY

TOOL SUPPLIED WITHOUT BATTERIES

EXTRA PERFORMANCE

Choose your battery

EP2125

2.5 Ah - 21.6 V

Autonomy:
up to 4 hours



EP2150

5 Ah - 21.6 V

Autonomy:
up to 8 hours



Included in the kit



Holster

Backpack

CHARACTERISTICS

CUTTING Ø*	40 mm
WEIGHT WITHOUT BATTERY	0.8 kg
WEIGHT WITH BATTERY - 2.5 AH	1.2 kg
WEIGHT WITH BATTERY - 5 AH	1.3 kg

* ACCORDING TO THE WOOD TYPE



ACCESSORIES FOR NOVA

KOALA

MADE IN ITALY

Universal charging station

3 charging slots

Charge different voltages



CHARACTERISTICS

BATTERY CHARGING TIMES

EP1425 - 2.5 AH - 14.4 V	80 min
EP1450 - 5 AH - 14.4 V	160 min
EP2125 - 2.5 AH - 21.6 V	80 min
EP2150 - 5 AH - 21.6 V	160 min

EXTENSION POLE

Telescopic extension pole
for **Nova 35** and **Nova 40**, 150 - 220 cm



CABLE AND HOLSTER

Cable and holster for **Extra Performance** batteries



KOALA

THE UNIVERSAL CHARGING STATION

Koala is our **Made in Italy** smart charging station

- 3 charging slots with automatic identification, 14.4 V and 21.6 V
- Charge maintenance
- SOS function: this exclusive feature allows the recovery of batteries that fall below the minimum charge threshold (10%)

CHOOSE YOUR EXTRA PERFORMANCE BATTERY

- 14.4 V → 2.5 Ah or 5 Ah
- 21.6 V → 2.5 Ah or 5 Ah

BATTERIES
EXTRA
PERFORMANCE



DIGITIZE YOUR PRUNING

- In constant communication with your tool thanks to the MyCampagnola app
- Intuitive, simple and functional
- You can connect all your NOVAs to it
- It's yours in just a few clicks



APP



PROFESSIONAL LINE BATTERIES COMPATIBILITY



EP1425
2.5 Ah - 14.4 V



EP1450
5 Ah - 14.4 V



NOVA 35



EP2125
2.5 Ah - 21.6 V



EP2150
5 Ah - 21.6 V



NOVA 40



LI-ION 700
14 Ah - 50.4 V



KRONOS 58



**HERCULES 6
58 PLUS**



**ICARUS V1
58 PLUS**



**ALICE STAR
58 PLUS**



**HOLLY
ECO PLUG-IN**



**HERCULES 6
ECO PLUG-IN**



**ICARUS V1
ECO PLUG-IN**



**ALICE STAR
ECO PLUG-IN**



**MASTER
ECO PLUG-IN**





ELECTRIC SHEARS

SL23



Included in the kit



POWER SUPPLIED

Plug-in battery

2 Ah - 7.2 V

Autonomy:
up to 1,5 hours



CHARACTERISTICS

CUTTING Ø*	23 mm
WEIGHT WITHOUT BATTERY	0.6 kg
WEIGHT WITH BATTERY	0.7 kg

* ACCORDING TO THE WOOD TYPE



SPEEDY



Included in the kit



POWER SUPPLIED

Plug-in battery

2.5 Ah - 14.4 V

Autonomy:
up to 2-3 hours



CHARACTERISTICS

CUTTING Ø*	25 mm
WEIGHT WITHOUT BATTERY	0.6 kg
WEIGHT WITH BATTERY	0.8 kg

* ACCORDING TO THE WOOD TYPE



SL32 V1



Included in the kit



POWER SUPPLIED

Plug-in battery

2.5 Ah - 14.4 V

Autonomy:
up to 2-3 hours



CHARACTERISTICS

CUTTING Ø*	32 mm
WEIGHT WITHOUT BATTERY	0.7 kg
WEIGHT WITH BATTERY	0.9 kg

* ACCORDING TO THE WOOD TYPE



ELECTRIC SHEARS

STARK XM



Only electric shear with
DOUBLE-CLICK SYSTEM



Included in the kit



COMPATIBLE WITH
EXTENSION POLE 150-230 CM AT P. 15

CHARACTERISTICS

CUTTING Ø*	35 mm
WEIGHT WITHOUT BATTERY	0.7 kg
WEIGHT WITH BATTERY	0.9 kg

* ACCORDING TO THE WOOD TYPE



POWER SUPPLIED

Plug-in battery

2.5 Ah - 14.4 V

Autonomy:
up to 2-3 hours



STARK XL



Only electric shear with
DOUBLE-CLICK SYSTEM



Included in the kit



COMPATIBLE WITH
EXTENSION POLE 150-230 CM AT P. 15

CHARACTERISTICS

CUTTING Ø*	40 mm
WEIGHT WITHOUT BATTERY	0.9 kg
WEIGHT WITH BATTERY	1.2 kg

* ACCORDING TO THE WOOD TYPE



POWER SUPPLIED

Plug-in battery

2.5 Ah - 21.6 V

Autonomy:
up to 3-4 hours





ELECTRIC SHEARS WITH FIXED EXTENSION POLE

STARK 90 V1



Included in the kit

POWER SUPPLIED

Plug-in battery

2.5 Ah - 21.6 V

Autonomy:
up to 3-4 hours



CHARACTERISTICS

CUTTING Ø*	40 mm
TOTAL LENGTH	90 cm
WEIGHT WITH BATTERY	2.3 kg

* ACCORDING TO THE WOOD TYPE

BRUSHLESS

STARK 160 V1



Included in the kit

POWER SUPPLIED

Plug-in battery

2.5 Ah - 21.6 V

Autonomy:
up to 3-4 hours




CHARACTERISTICS

CUTTING Ø*	40 mm
TOTAL LENGTH	160 cm
WEIGHT WITH BATTERY	2.7 kg

* ACCORDING TO THE WOOD TYPE

BRUSHLESS

STARK 220 V1



Included in the kit

POWER SUPPLIED

Plug-in battery

2.5 Ah - 21.6 V

Autonomy:
up to 3-4 hours



CHARACTERISTICS

CUTTING Ø*	40 mm
TOTAL LENGTH	220 cm
WEIGHT WITH BATTERY	3.1 kg

* ACCORDING TO THE WOOD TYPE

BRUSHLESS



ELECTRIC CHAIN PRUNERS WITH TELESCOPIC EXTENSION POLE

T-REX 160-240



Included in the kit

Shoulder strap

Transport bag

CHARACTERISTICS

TOTAL LENGTH	160 - 240 cm
CUTTING Ø*	210 mm
CHAIN AND BAR	8'' - 1/4'' - 48 links
CHAIN SPEED	12 m/sec
WEIGHT WITH BATTERY	2.8 kg

* ACCORDING TO THE WOOD TYPE

BRUSHLESS



POWER SUPPLIED

Plug-in battery

5 Ah - 21.6 V

Autonomy:
up to 220
Ø 8 cm cuts



T-REX 250-300



Included in the kit

Shoulder strap

Transport bag

CHARACTERISTICS

TOTAL LENGTH	250 - 300 cm
CUTTING Ø*	210 mm
CHAIN AND BAR	8'' - 1/4'' - 48 links
CHAIN SPEED	12 m/sec
WEIGHT WITH BATTERY	4.1 kg

* ACCORDING TO THE WOOD TYPE

BRUSHLESS



POWER SUPPLIED

Plug-in battery

5 Ah - 21.6 V

Autonomy:
up to 220
Ø 8 cm cuts





ELECTRIC CHAIN PRUNERS

FURY XM



COMPATIBLE WITH
EXTENSION POLE 140-220 CM AT P. 15

CHARACTERISTICS

CUTTING Ø*	120 mm
CHAIN AND BAR	5" - 1/4" - 34 links
CHAIN SPEED	7.5 m/sec
WEIGHT WITHOUT BATTERY	1.0 kg
WEIGHT WITH BATTERY	1.3 kg

* ACCORDING TO THE WOOD TYPE

Included in the kit



POWER SUPPLIED

Plug-in battery

2.5 Ah - 14.4 V

Autonomy:
up to 90
Ø 8 cm cuts



ELECTRIC CHAIN PRUNERS

T-CAT M V1



COMPATIBLE WITH
EXTENSION POLE 140-220 CM AT P. 15

CHARACTERISTICS

CUTTING Ø*	80 mm
CHAIN AND BAR	4" - 1/4" - 29 links
CHAIN SPEED	7.5 m/sec
WEIGHT WITHOUT BATTERY	0.9 kg
WEIGHT WITH BATTERY	1.2 kg

* ACCORDING TO THE WOOD TYPE

Included in the kit



POWER SUPPLIED

Plug-in battery

2.5 Ah - 14.4 V

Autonomy:
up to 90
Ø 8 cm cuts



TYSON XL



COMPATIBLE WITH
EXTENSION POLE 140-220 CM AT P. 15

CHARACTERISTICS

CUTTING Ø*	120 mm
CHAIN AND BAR	5" - 1/4" - 34 links
CHAIN SPEED	10 m/sec
WEIGHT WITHOUT BATTERY	1.0 kg
WEIGHT WITH BATTERY	1.5 kg

* ACCORDING TO THE WOOD TYPE

Included in the kit



POWER SUPPLIED

Plug-in battery

4 Ah - 21.6 V

Autonomy:
up to 140
Ø 8 cm cuts



T-REX



Included in the kit



POWER SUPPLIED

Plug-in battery


2.5 Ah - 21.6 V

Autonomy:
up to 90
Ø 8 cm cuts



4 Ah - 21.6 V

Autonomy:
up to 140
Ø 8 cm cuts





ELECTRIC TYING TOOL

NEXI



Included in the kit



POWER SUPPLIED

Plug-in Battery

2.5 Ah - 14.4 V

Autonomy:
up to 10.000
ties



CHARACTERISTICS

MAX TYING Ø	25 mm
TIE TWIST	6 modes
TIES - QUANTITY PER MINUTE	80
WEIGHT WITHOUT BATTERY	0.7 kg
WEIGHT WITH BATTERY	1 kg



TELESCOPIC EXTENSION POLE

TELESCOPIC EXTENSION POLE FOR SHEARS

Telescopic extension pole for STARK XM and STARK XL, 150-230 cm



TELESCOPIC EXTENSION POLE FOR CHAIN PRUNERS

Telescopic extension pole for FURY XM, TYSON XL and T-CAT M V1


For hobby use



ACCESSORIES GREEN LINE

REELS

Neutral tie wire, 110 m - Package with 45 reels
It degrades in 10/12 months



Paper tie wire, 130 m - Package with 45 reels
It degrades in 6/9 months



CABLE AND HOLSTER

Cable and holster compatible
with all Green Line tools



HOLSTER

Shear holster



Chain pruner and tying tool
holster





GREEN LINE BATTERIES COMPATIBILITY



2.5 Ah - 14.4 V

SPEEDY



SL32 V1



2.5 Ah - 14.4 V

STARK XM



FURY XM



NEXI



T-CAT M V1



2.5 Ah - 21.6 V

STARK XL



TYSON XL



T-REX 250-300

T-REX 160-240

STARK 220 V1

STARK 160 V1

STARK 90 V1

T-FOX



T-REX



5 Ah - 21.6 V





PNEUMATIC SHEARS

STAR 30 FRUIT



CHARACTERISTICS	
CUTTING Ø*	32 mm
WEIGHT	0.6 kg
MAX PRESSURE	10 bar
AIR CONSUMPTION	80 l/min
* ACCORDING TO THE WOOD TYPE	

STAR 30 VINEYARD



CHARACTERISTICS	
CUTTING Ø*	30 mm
WEIGHT	0.6 kg
MAX PRESSURE	10 bar
AIR CONSUMPTION	80 l/min
* ACCORDING TO THE WOOD TYPE	

VICTORY



CHARACTERISTICS	
CUTTING Ø*	32 mm
WEIGHT	0.5 kg
MAX PRESSURE	9 bar
AIR CONSUMPTION	80 l/min
* ACCORDING TO THE WOOD TYPE	

VICTORY R



CHARACTERISTICS	
CUTTING Ø*	30 mm
WEIGHT	0.5 kg
MAX PRESSURE	9 bar
AIR CONSUMPTION	80 l/min
* ACCORDING TO THE WOOD TYPE	



PNEUMATIC SHEARS

SUPER STAR DOUBLE CUT



CHARACTERISTICS	
CUTTING Ø*	30 mm
WEIGHT	0.6 kg
MAX PRESSURE	10 bar
AIR CONSUMPTION	80 l/min
* ACCORDING TO THE WOOD TYPE	

VICTORY
WITH ADAPTER



CHARACTERISTICS	
CUTTING Ø*	32 mm
WEIGHT	0.4 kg
MAX PRESSURE	9 bar
AIR CONSUMPTION	80 l/min
* ACCORDING TO THE WOOD TYPE	

STAR 40
WITH ADAPTER



CHARACTERISTICS	
CUTTING Ø*	40 mm
WEIGHT	0.6 kg
MAX PRESSURE	10 bar
AIR CONSUMPTION	100 l/min
* ACCORDING TO THE WOOD TYPE	





PNEUMATIC LOPPERS

STAR 50



AVAILABLE WITH ALUMINIUM POLE IN DIFFERENT LENGTHS FROM 0.5 M UP TO 3 M

CHARACTERISTICS

CUTTING Ø*	50 mm
WEIGHT	2.1 - 4.5 kg
MAX PRESSURE	10 bar
AIR CONSUMPTION	100 l/min

* ACCORDING TO THE WOOD TYPE

F/6 U



AVAILABLE WITH ALUMINIUM POLE IN DIFFERENT LENGTHS FROM 0.5 M UP TO 3 M

CHARACTERISTICS

CUTTING Ø*	50 mm
WEIGHT	2.1 - 4.5 kg
MAX PRESSURE	10 bar
AIR CONSUMPTION	100 l/min

* ACCORDING TO THE WOOD TYPE



PNEUMATIC CHAIN PRUNERS

LASER




CHARACTERISTICS

CUTTING Ø*	150 mm
WEIGHT	2.1 kg
CHAIN AND BAR	Carving 8" - 1/4" - 52 links
CHAIN SPEED	11 m/sec
MAX PRESSURE	10 bar
AIR CONSUMPTION	430 l/min

* ACCORDING TO THE WOOD TYPE



AUTOLUBE M.3




COMPATIBLE WITH ALL PNEUMATIC, FIXED AND TELESCOPIC POLES, IN ALUMINIUM AND CARBON

CHARACTERISTICS

CUTTING Ø*	150 mm
WEIGHT	1.5 kg
CHAIN AND BAR	Carving 8" - 1/4" - 52 links
CHAIN SPEED	11 m/sec
MAX PRESSURE	10 bar
AIR CONSUMPTION	400 l/min

* ACCORDING TO THE WOOD TYPE

LINX



COMPATIBLE WITH ALL PNEUMATIC, FIXED AND TELESCOPIC POLES, IN ALUMINIUM AND CARBON

CHARACTERISTICS

CUTTING Ø*	150 mm
WEIGHT	1.2 kg
CHAIN AND BAR	Carving 8" - 1/4" - 52 links
CHAIN SPEED	11 m/sec
MAX PRESSURE	10 bar
AIR CONSUMPTION	430 l/min

* ACCORDING TO THE WOOD TYPE



HAND PRUNING

S1

Traditional vineyard shear



CHARACTERISTICS

CUTTING Ø* 26 mm

WEIGHT 0.2 kg

* ACCORDING TO THE WOOD TYPE

C3

Short-bladed vineyard shear



CHARACTERISTICS

CUTTING Ø* 25 mm

WEIGHT 0.2 kg

* ACCORDING TO THE WOOD TYPE

S6

Curved anvil-cut shear



CHARACTERISTICS

CUTTING Ø* 26 mm

WEIGHT 0.2 kg

* ACCORDING TO THE WOOD TYPE

S8

Grape harvesting shear



CHARACTERISTICS

CUTTING Ø* 24 mm

WEIGHT 0.06 kg

* ACCORDING TO THE WOOD TYPE

S2

Double-cut shear



CHARACTERISTICS

CUTTING Ø* 28 mm

WEIGHT 0.2 kg

* ACCORDING TO THE WOOD TYPE

S4

Anvil-cut shear



CHARACTERISTICS

CUTTING Ø* 26 mm

WEIGHT 0.2 kg

* ACCORDING TO THE WOOD TYPE

S7

Curved anvil-cut shear



CHARACTERISTICS

CUTTING Ø* 28 mm

WEIGHT 0.2 kg

* ACCORDING TO THE WOOD TYPE

HOLSTER

Hand shear holster



HAND PRUNING

S15

15 cm fold-up saw



CHARACTERISTICS

CUTTING Ø* 150 mm

WEIGHT 0.2 kg

* ACCORDING TO THE WOOD TYPE

S30

30 cm fixed-bladed saw



CHARACTERISTICS


CUTTING Ø* 300 mm

WEIGHT 0.3 kg

* ACCORDING TO THE WOOD TYPE

S20

Straight anvil-cut lopper



CHARACTERISTICS

CUTTING Ø* 45 mm

WEIGHT 1.0 kg

* ACCORDING TO THE WOOD TYPE

S25

25 cm fixed-bladed saw



CHARACTERISTICS

CUTTING Ø* 250 mm

WEIGHT 0.3 kg

* ACCORDING TO THE WOOD TYPE

S21

Curved anvil-cut lopper



CHARACTERISTICS

CUTTING Ø* 50 mm

WEIGHT 1.0 kg

* ACCORDING TO THE WOOD TYPE



Campagnola dealer

CAMPAGNOLA srl

Via Lazio 21 - 40069
Zola Predosa (BO) - Italia

Tel. +39 051 753500
Fax. +39 051 752551

star@campagnola.it

www.campagnola.co.uk

