



KRONOS 58 AND LI-ION 700



	> Automatic lubrication
	> Backpack battery
e	(J-80-70) (M-10)
V	

CHARACTERIST	ice .

CUTTING Ø*	180 mm
CHAIN AND BAR	7" - 1/4" - 48 links
CHAIN SPEED	11.4 - 14.8 m/sec
AUTONOMY	600 Ø 10 cm cuts
WEIGHT WITH 160 CM EXTENSION POLE	4.1 kg

* ACCORDING TO THE WOOD TYPE



ELECTRIC SHEARS

NOVA 35















TOOL SUPPLIED WITHOUT BATTERIES



/DAC	TERIS	TICE

CUTTING Ø*	35 mm
WEIGHT WITHOUT BATTERY	0.8 kg
WEIGHT WITH BATTERY - 2.5 AH	1.1 kg
WEIGHT WITH BATTERY - 5 AH	1.2 kg

* ACCORDING TO THE WOOD TYPE



Holster



Backpack



NOVA 40



















TOOL SUPPLIED WITHOUT BATTERIES



CHARACTERISTICS

CUTTING Ø*	40 mm
WEIGHT WITHOUT BATTERY	0.8 kg
WEIGHT WITH BATTERY - 2.5 AH	1.2 kg
WEIGHT WITH BATTERY - 5 AH	1.3 kg

* ACCORDING TO THE WOOD TYPE



Holster

Backpack

EXTRA PERFORMANCE Choose your battery **EP2125** 2.5 Ah - 21.6 V up to 4 hours **EP2150** 5 Ah - 21.6 V Autonomy: up to 8 hours

ACCESSORIES FOR NOVA

KOALA

MADE IN ITALY

Universal charging station

3 charging slots Charge different voltages



CHARACTERISTICS

BATTERY CHARGING TIMES	

EP1425 - 2.5 AH - 14.4 V	80 min
EP1450 - 5 AH - 14.4 V	160 min
EP2125 - 2.5 AH - 21.6 V	80 min
EP2150 - 5 AH - 21.6 V	160 min

EXTENSION POLE



CABLE AND HOLSTER

Cable and holster for Extra Performance batteries



KOALA

THE UNIVERSAL CHARGING STATION

Koala is our **Made in Italy** smart charging station

- 3 charging slots with automatic identification, 14.4 V and 21.6 V
- Charge maintenance
- SOS function: this exclusive feature allows the recovery of batteries that fall below the minimum charge threshold (10%)

CHOOSE YOUR EXTRA PERFORMANCE BATTERY

- **14.4 V** \rightarrow 2.5 Ah or 5 Ah
- **21.6 V** → 2.5 Ah or 5 Ah



DIGITIZE YOUR PRUNING

- In constant communication with your tool thanks to the MyCampagnola app
- Intuitive, simple and functional
- You can connect all your NOVAs to it
- It's yours in just a few clicks















PROFESSIONAL LINE BATTERIES COMPATIBILITY











ELECTRIC SHEARS

SL23



CH	AB	ACT	ΈВ	ICT	CC
	-1-1				

CUTTING Ø*	23 mm
WEIGHT WITHOUT BATTERY	0.6 kg
WEIGHT WITH BATTERY	0.7 kg

* ACCORDING TO THE WOOD TYPE

Included in the kit



POWER SUPPLIED

Plug-in battery

2 Ah - 7.2 V

up to 1,5 hours



SPEEDY



CHARACTERISTICS

WEIGHT WITHOUT BATTERY

WEIGHT WITH BATTERY

* ACCORDING TO THE WOOD TYPE



POWER SUPPLIED

Plug-in battery

2.5 Ah - 14.4 V

up to 2-3 hours



SL32 V1

25 mm

0.6 kg

0.8 kg



CUTTING Ø*

70% 100%

CHARACTERISTICS

CUTTING Ø*	32 mm
WEIGHT WITHOUT BATTERY	0.7 kg
WEIGHT WITH BATTERY	0.9 kg

* ACCORDING TO THE WOOD TYPE



POWER SUPPLIED

Plug-in battery

2.5 Ah - 14.4 V up to 2-3 hours



ELECTRIC SHEARS

STARK XM



Only electric shear with DOUBLE-CLICK SYSTEM







COMPATIBLE WITH EXTENSION POLE 150-230 CM AT P. 15

CHARACTERISTICS

* ACCORDING TO THE WOOD TYPE

CUTTING Ø*	35 mm
WEIGHT WITHOUT BATTERY	0.7 kg
WEIGHT WITH BATTERY	0.9 kg

POWER SUPPLIED

Plug-in battery

2.5 Ah - 14.4 V

up to 2-3 hours



STARK XL

Only electric shear with **DOUBLE-CLICK SYSTEM**



Included in the kit











COMPATIBLE WITH EXTENSION POLE 150-230 CM AT P. 15

CHARACTERISTICS		
CUTTING Ø*	40 mm	
WEIGHT WITHOUT BATTERY	0.9 kg	
WEIGHT WITH BATTERY	1.2 kg	

* ACCORDING TO THE WOOD TYPE


POWER SUPPLIED

Plug-in battery

2.5 Ah - 21.6 V

up to 3-4 hours







ELECTRIC SHEARS WITH FIXED EXTENSION POLE STARK 90 V1







POWER SUPPLIED

Plug-in battery

2.5 Ah - 21.6 V

up to 3-4 hours



STARK 160 V1

40 mm

90 cm

2.3 kg



CHARACTERISTICS

CUTTING Ø*

TOTAL LENGTH

WEIGHT WITH BATTERY

* ACCORDING TO THE WOOD TYPE





CHARACTERISTICS

CUTTING Ø*	40 mm
TOTAL LENGTH	160 cm
WEIGHT WITH BATTERY	2.7 kg

* ACCORDING TO THE WOOD TYPE

POWER SUPPLIED

Plug-in battery

2.5 Ah - 21.6 V up to 3-4 hours



STARK 220 V1





CHARACTERISTICS		
CUTTING Ø*	40 mm	
TOTAL LENGTH	220 cm	
WEIGHT WITH BATTERY	3.1 kg	
* ACCORDING TO THE WOOD TYPE		

POWER SUPPLIED Plug-in battery



ELECTRIC CHAIN PRUNERS WITH TELESCOPIC EXTENSION POLE

T-REX 160-240



CHARACTERISTICS

TOTAL LENGTH	160 - 240 cm
CUTTING Ø*	210 mm
CHAIN AND BAR	8'' - 1/4'' - 48 links
CHAIN SPEED	12 m/sec
WEIGHT WITH BATTERY	2.8 kg

* ACCORDING TO THE WOOD TYPE

POWER SUPPLIED

Plug-in battery

5 Ah - 21.6 V up to 220 Ø 8 cm cuts





CHARACTERISTICS		
TOTAL LENGTH	250 - 300 cm	
CUTTING Ø*	210 mm	
CHAIN AND BAR	8'' - 1/4'' - 48 links	
CHAIN SPEED	12 m/sec	
WEIGHT WITH BATTERY	4.1 kg	

* ACCORDING TO THE WOOD TYPE

POWER SUPPLIED Plug-in battery

> 5 Ah - 21.6 V up to 220 Ø 8 cm cuts





ELECTRIC CHAIN PRUNERS FURY XM

och de children de children children





COMPATIBLE WITH EXTENSION POLE 140-220 CM AT P. 15

CHARACTERISTICS			
CUTTING Ø*		120 mm	
CHAIN AND BAR	5"	- 1/4'' - 34 links	
CHAIN SPEED		7.5 m/sec	
WEIGHT WITHOUT BATTERY		1.0 kg	
WEIGHT WITH BATTERY		1.3 kg	
* ACCORDING TO THE WOOD TYPE			

POWER SUPPLIED

Plug-in battery

2.5 Ah - 14.4 V up to 90



TYSON XL



COMPATIBLE WITH EXTENSION POLE 140-220 CM AT P. 15

CHARACTERISTICS		
CUTTING Ø*		120 mm
CHAIN AND BAR	5"	- 1/4'' - 34 links
CHAIN SPEED		10 m/sec
WEIGHT WITHOUT BATTERY		1.0 kg
WEIGHT WITH BATTERY		1.5 kg
* ACCORDING TO THE WOOD TYPE	:	

Included in the kit





POWER SUPPLIED

Plug-in battery

4 Ah - 21.6 V up to 140

Ø 8 cm cuts



ELECTRIC CHAIN PRUNERS

T-CAT M V1



COMPATIBLE WITH EXTENSION POLE 140-220 CM AT P. 15

CHARACTERISTICS

* ACCORDING TO THE WOOD TYPE

CUTTING Ø*		80 mm
CHAIN AND BAR	4" - 1/4" - 2	9 links
CHAIN SPEED	7.5	m/sec
WEIGHT WITHOUT BATTERY		0.9 kg
WEIGHT WITH BATTERY		1.2 kg





POWER SUPPLIED

Plug-in battery

2.5 Ah - 14.4 V up to 90 Ø 8 cm cuts



T-REX







Included in the kit





POWER SUPPLIED

Plug-in battery

2.5 Ah - 21.6 V





4 Ah - 21.6 V Autonomy: up to 140 Ø 8 cm cuts



* ACCORDING TO THE WOOD TYPE

CUTTING Ø*	80 mm
CHAIN AND BAR	4'' - 1/4'' - 29 links
CHAIN SPEED	8.5 m/sec
WEIGHT WITHOUT BATTERY	0.9 kg
WEIGHT WITH BATTERY	1.3 / 1.4 kg





ELECTRIC TYING TOOL

NEXI



25 mm

6 modes

80

0.7 kg

1 kg

MAX TYING Ø

TIES - QUANTITY PER MINUTE

WEIGHT WITHOUT BATTERY

WEIGHT WITH BATTERY

TIE TWIST

included in the Kit
x2

Induded in the bit




BOV	NER S	UPPI	LIED

Plug-in Battery

2.5 Ah - 14.4 V

Autonomy: up to 10.000





TELESCOPIC EXTENSION POLE TELESCOPIC EXTENSION POLE FOR SHEARS

Telescopic extension pole for STARK XM and STARK XL, 150-230 cm



TELESCOPIC EXTENSION POLE FOR CHAIN PRUNERS


Telescopic extension pole for FURY XM, TYSON XL and T-CAT M V1 $\,$



ACCESSORIES GREEN LINE

REELS

Neutral tie wire, 110 m - Package with 45 reels It degrades in 10/12 months Paper tie wire, 130 m - Package with 45 reels It degrades in 6/9 months





CABLE AND HOLSTER

Cable and holster compatible with all Green Line tools





HOLSTER

Shear holster



Chain pruner and tying tool holster





GREEN LINE BATTERIES COMPATIBILITY









PNEUMATIC SHEARS

STAR 30 FRUIT

STAR 30 VINEYARD





PNEUMATIC SHEARS

SUPER STAR DOUBLE CUT



VICTORY WITH ADAPTER



COMPATIBLE WITH ALL PNEUMATIC, FIXED AND TELESCOPIC POLES, IN ALUMINIUM AND CARBON

CHARACTER	ISTICS	
CUTTING Ø*		32 mm
WEIGHT		0.4 kg
MAX PRESSURE		9 bar
AIR CONSUMPTION		80 l/min
* ACCORDING TO THE WOOD TY	/PE	

CHARACTERISTICS CUTTING Ø*

CUTTING Ø*	32 mm
WEIGHT	0.6 kg
MAX PRESSURE	10 bar
AIR CONSUMPTION	80 I/min

* ACCORDING TO THE WOOD TYPE

18

CUTTING Ø* 30 mm WEIGHT 0.6 kg MAX PRESSURE 10 bar AIR CONSUMPTION 80 l/min

* ACCORDING TO THE WOOD TYPE

CHARACTERISTICS

CUTTING Ø*	30 mm
WEIGHT	0.6 kg
MAX PRESSURE	10 bar
AIR CONSUMPTION	80 l/min
* ACCORDING TO THE WOOD TYPE	

CHARACTERISTICS

VICTORY



VICTORY R



STAR 40 **WITH ADAPTER**



COMPATIBLE WITH ALL PNEUMATIC, FIXED AND TELESCOPIC POLES, IN ALUMINIUM AND CARBON

CHARACTERISTICS	
CUTTING Ø*	40 mm
WEIGHT	0.6 kg
MAX PRESSURE	10 bar
AIR CONSUMPTION	100 l/min
* ACCORDING TO THE WOOD TYPE	

19

CHARACTERISTICS CUTTING Ø* 32 mm WEIGHT 0.5 kg MAX PRESSURE 9 bar AIR CONSUMPTION 80 l/min

CHARACTERISTICS	
CUTTING Ø*	30 mm
WEIGHT	0.5 kg
MAX PRESSURE	9 bar
AIR CONSUMPTION	80 l/min
* ACCORDING TO THE WOOD TYPE	

* ACCORDING TO THE WOOD TYPE



PNEUMATIC LOPPERS

STAR 50



AVAILABLE WITH ALUMINIUM POLE IN DIFFERENT LENGTHS FROM 0.5 M UP TO 3 M

CHARACTERISTICS			
CUTTING Ø*	50 mm		
WEIGHT	2.1 - 4.5 kg		
MAX PRESSURE	10 bar		
AIR CONSUMPTION	100 l/min		
* ACCORDING TO THE WOOD TYPE			

F/6 U



AVAILABLE WITH ALUMINIUM POLE IN DIFFERENT LENGTHS FROM 0.5 M UP TO 3 M

CHARACTERISTICS		
CUTTING Ø*	50 mm	
WEIGHT	2.1 - 4.5 kg	
MAX PRESSURE	10 bar	
AIR CONSUMPTION	100 l/min	
* ACCORDING TO THE WOOD TYPE		

PNEUMATIC CHAIN PRUNERS

LASER



AUTOLUBE M.3



COMPATIBLE WITH ALL PNEUMATIC, FIXED AND TELESCOPIC POLES, IN ALUMINIUM AND CARBON

CHARACTERIST	ics
CUTTING Ø*	150 mm
WEIGHT	1.5 kg
CHAIN AND BAR	Carving 8'' - 1/4'' - 52 links
CHAIN SPEED	11 m/sec
MAX PRESSURE	10 bar
AIR CONSUMPTION	400 l/min
* ACCORDING TO THE WOOD TYPE	

CHARACTERISTICS

CUTTING Ø*	150 mm
WEIGHT	2.1 kg
CHAIN AND BAR	Carving 8'' - 1/4'' - 52 links
CHAIN SPEED	11 m/sec
MAX PRESSURE	10 bar
AIR CONSUMPTION	430 l/min
* ACCORDING TO THE WOOD TYPE	


LINX





TELESCOPIO	C POLES, IN ALUI	MINIUM AND	CARBON

CHARACTERIST	ics
CUTTING Ø*	150 mm
WEIGHT	1.2 kg
CHAIN AND BAR	Carving 8" - 1/4" - 52 links
CHAIN SPEED	11 m/sec
MAX PRESSURE	10 bar
AIR CONSUMPTION	430 l/min
* ACCORDING TO THE WOOD TYPE	





HAND PRUNING

S1

Traditional vineyard shear



CHARACTERISTICS

CUTTING Ø*	26 mm
WEIGHT	0.2 kg
* ACCORDING TO THE WOO	DD TYPE

C3

Short-bladed vineyard shear



CHARACTERISTICS

CUTTING Ø*	25 mm
WEIGHT	0.2 kg
* ACCORDING TO THE WOOD TYPE	

S6

Curved anvil-cut shear



CHARACTERISTICS

CUTTING Ø*	26 mm
WEIGHT	0.2 kg
* ACCORDING TO THE WOOD TYPE	

S8

24 mm

0.06 kg

Grape harvesting shear

* ACCORDING TO THE WOOD TYPE

CUTTING Ø*

WEIGHT

CHARACTERISTICS



CHARACTERISTICS

* ACCORDING TO THE WOOD TYPE

Double-cut shear



S4

28 mm

0.2 kg

S2

Anvil-cut shear

CUTTING Ø*

WEIGHT



CHARACTERISTICS

CUTTING Ø*	26 mm
WEIGHT	0.2 kg
* ACCORDING TO THE WOO	D TYPE

S7

Curved anvil-cut shear



CHARACTERISTICS

CUTTING Ø*	28 mm
WEIGHT	0.2 kg
* ACCORDING TO THE WOOD	TVDE

HOLSTER

Hand shear holster



HAND PRUNING

S15

15 cm fold-up saw



CHARACTERISTICS

CUTTING Ø*	150 mm
WEIGHT	0.2 kg
* ACCORDING TO THE WOOD TYPE	

S30

30 cm fixed-bladed saw



CHARACTERISTICS

CUTTING Ø*	300 mm
WEIGHT	0.3 kg
* ACCORDING TO THE	WOOD TYPE

S20

Straight anvil-cut lopper



CHARACTERISTICS

CUTTING Ø*	45 mm
WEIGHT	1.0 kg

* ACCORDING TO THE WOOD TYPE

S25

25 cm fixed-bladed saw



CHARACTERISTICS

CUTTING Ø*	250 mm
WEIGHT	0.3 kg

* ACCORDING TO THE WOOD TYPE

S21

Curved anvil-cut lopper



CHARACTERISTICS

50 mm
1.0 kg

* ACCORDING TO THE WOOD TYPE



Campagnola dealer

CAMPAGNOLA srl

Via Lazio 21 - 40069 Zola Predosa (BO) - Italia

> Tel. +39 051 753500 Fax. +39 051 752551

star@campagnola.it

www.campagnola.co.uk





