CAMPAGNOLA




HARVESTING CATALOGUE

www.campagnola.it


ALICE STAR 58 PLUS

MADE IN ITALY


ALICE STAR ECO PLUG – IN



Technopolymer teeth.
Effective harvesting without damaging the tree, suitable for small olives that resist detachment



OPPOSED ELLIPTICAL MOVEMENT



Compatible with several extension poles.
Maximum customisation (p. 12)



Better balance.
Motor at the bottom, less fatigue

Power 58 Plus
Brushless motor for professional harvesting

Power Eco Plug-In
Brushed motor for non-intensive harvesting



SPEED	1080 - 1150 - 1180 rpm
VOLTAGE	12/58 V

SPEED	1200 rpm
VOLTAGE	12/21 V

POWER 58 PLUS POWER SUPPLIES

LI-ION 700
Backpack battery



ENERGY4
Generator



12 V BATTERY



NOT AVAILABLE

POWER ECO PLUG-IN POWER SUPPLIES

ENERGY4
Generator



EP2150
5 Ah - 21.6 V battery



12 V BATTERY




NOT AVAILABLE




ICARUS V1 58 PLUS

MADE IN ITALY

ICARUS V1 ECO PLUG – IN



Carbon teeth.
Excellent penetration into
dense, hard-to-reach canopies



OPPOSED MOVEMENT



Compatible with several extension poles.
Maximum customisation (p. 12)



Better balance.
Motor at the bottom, less fatigue

Power 58 Plus
Brushless motor for
professional harvesting

Power Eco Plug-In
Brushed motor for
non-intensive harvesting



SPEED	1080 - 1150 - 1180 rpm
VOLTAGE	12/58 V

SPEED	1200 rpm
VOLTAGE	12/21 V

POWER 58 PLUS POWER SUPPLIES

LI-ION 700
Backpack battery



ENERGY4
Generator



12 V BATTERY



NOT AVAILABLE

POWER ECO PLUG-IN POWER SUPPLIES

ENERGY4
Generator



EP2150
5 Ah - 21.6 V battery



12 V BATTERY



NOT AVAILABLE




HERCULES 6 58 PLUS

MADE IN ITALY

HERCULES 6 ECO PLUG – IN



Carbon teeth.
Excellent penetration into large trees with dense canopies



ELLIPTICAL MOVEMENT



Compatible with several extension poles.
Maximum customisation (p. 12)



Better balance.
Motor at the bottom, less fatigue

Power 58 Plus
Brushless motor for professional harvesting

Power Eco Plug-In
Brushed motor for non-intensive harvesting



SPEED	1080 - 1150 - 1180 rpm
VOLTAGE	12/58 V

SPEED	1200 rpm
VOLTAGE	12/21 V

POWER 58 PLUS POWER SUPPLIES

LI-ION 700	ENERGY4	12 V BATTERY
Backpack battery	Generator	
		
		NOT AVAILABLE

POWER ECO PLUG-IN POWER SUPPLIES

ENERGY4	EP2150	12 V BATTERY
Generator	5 Ah - 21.6 V battery	
		
		NOT AVAILABLE






MADE IN ITALY

HOLLY ECO PLUG – IN

Technopolymer teeth.
High wear resistance, minimal maintenance. Ideal for all types of olive tree



ELLIPTICAL MOVEMENT

Compatible with several extension poles.
Maximum customisation (p. 12)

Better balance.
Motor at the bottom, less fatigue

Power Eco Plug-In
Brushed motor for non-intensive harvesting





SPEED	1200 rpm
VOLTAGE	12/21 V

POWER ECO PLUG-IN POWER SUPPLIES

ENERGY4
Generator



EP2150
5 Ah - 21.6 V battery




12 V BATTERY




NOT AVAILABLE

ELEKTRA

MADE IN ITALY



Technopolymer teeth.
High wear resistance, minimal maintenance. Designed for well-pruned trees with sparse canopies



OPPOSED MOVEMENT

Compatible with several extension poles.
Maximum customisation (p. 12)



Better balance.
Motor at the bottom, less fatigue

Power Eco
Brushed motor for non-intensive harvesting

SPEED	1200 rpm
VOLTAGE	12 V

POWER ECO POWER SUPPLIES

ENERGY4
Generator



12 V BATTERY



NOT AVAILABLE




MASTER

MADE IN ITALY

MASTER PLUG – IN



Carbon teeth.
Excellent penetration into dense, hard-to-reach canopies



OPPOSED MOVEMENT



Compatible with several extension poles.
Maximum customisation (p. 12)



Plug-In handle
Compatible with Extra Performance batteries and the Energy4 generator





SPEED	1200 rpm
VOLTAGE	12 V

POWER SUPPLIES

ENERGY4
Generator



12 V BATTERY



NOT AVAILABLE

SPEED	1200 rpm
VOLTAGE	12/21 V

ECO PLUG-IN POWER SUPPLIES

ENERGY4
Generator



EP2150
5 Ah - 21.6 V battery



12 V BATTERY



NOT AVAILABLE



CARBON EXTENSION POLES FOR ELECTRIC HARVESTERS



MADE IN ITALY

TELESCOPIC EXTENSION POLES

Telescopic extension pole
185 - 270 cm — 1.00 kg

Telescopic extension pole
150 - 220 cm — 0.89 kg

Telescopic extension pole
135 - 185 cm — 0.52 kg



FIXED EXTENSION POLES

Fixed extension pole 230 cm — 0.65 kg

Fixed extension pole 170 cm — 0.55 kg

ALUMINIUM EXTENSION POLES FOR ELECTRIC HARVESTERS



MADE IN ITALY

TELESCOPIC EXTENSION POLES

Telescopic extension pole
185 - 270 cm — 1.30 kg

Telescopic extension pole
150 - 220 cm — 1.10 kg



FIXED EXTENSION POLES

Fixed extension pole 200 cm — 0.88 kg

Fixed extension pole 45 cm — 0.25 kg

EXTENSION POLES FOR MASTER HARVESTERS IN CARBON AND ALUMINIUM



MADE IN ITALY

TELESCOPIC EXTENSION POLES

Telescopic extension pole in
carbon and aluminium
185 - 270 cm — 1.12 kg

Telescopic extension pole in
carbon and aluminium
150 - 220 cm — 0.89 kg

Telescopic extension pole in
carbon and aluminium
135 - 185 cm — 0.65 kg


CAMPAGNOLA

LI – ION 700

Backpack battery.
Unlimited operating time throughout your day, with **low weight**.





CAPACITY	14 Ah
VOLTAGE	50.4 V

58V

ENERGY4

Electric generator.
Powers up to **4 harvesters simultaneously**.



VOLTAGE	230 V
RATED OUTPUT POWER	1 kW
POWER - VOLTAGE	700 W - 12 V

ACCESSORIES FOR ENERGY4

Power cable for Power 58 Plus



Power cable for Power Eco Plug-In and Power Eco



Transport trolley



Generator / ground battery adapter cable



EP2125

Extra Performance Plug-In battery



CAPACITY	2.5 Ah
VOLTAGE	21.6 V

21 V

EP2150

Extra Performance Plug-In battery



CAPACITY	5 Ah
VOLTAGE	21.6 V

21 V

21 V EP HARVESTING CABLE

Three-output extension cable for using Extra Performance batteries simultaneously.

21 V



KOALA

Universal charging station, 3 charging slots. Allows batteries with different voltages to be charged.



		EP1425 0136.0154 2.5 Ah 14.4 V	EP1450 0136.0158 5 Ah 14.4 V	EP2125 0136.0156 2.5 Ah 21.6 V	EP2150 0136.0160 5 Ah 21.6 V	EP21100 0136.0164 10 Ah 21.6 V	LI-ION 700 POWE.0008	12 V BATTERY *	ENERGY4 KITS.1251
	NOVA NOVA 35 MITA.0100	✓	✓						
	NOVA NOVA 40 MITA.0200			✓	✓	✓			
	NOVA NOVA P12 MITA.0400	✓	✓						
	NOVA NOVA P17 MITA.0900			✓	✓	✓			
	NOVA NOVA L25 MITA.0500	✓	✓						
	ECO ELEKTRA ATRA.2200							✓	✓
	POWER ECO PLUG-IN HOLLY ATRA.3114			✓	✓	✓		✓	✓
	POWER ECO PLUG-IN HERCULES 6 ATRA.3733			✓	✓	✓		✓	✓
	POWER ECO PLUG-IN ICARUS V1 ATRA.3412			✓	✓	✓		✓	✓
	POWER ECO PLUG-IN ALICE STAR ATRA.3506			✓	✓	✓		✓	✓
	POWER 58 PLUS HERCULES 6 ATRA.3723						✓	✓	✓
	POWER 58 PLUS ICARUS V1 ATRA.3402						✓	✓	✓
	POWER 58 PLUS ALICE STAR ATRA.3646						✓	✓	✓
	MASTER MASTER ATRA.3420							✓	✓
	MASTER MASTER PLUG-IN ATRA.3430			✓	✓	✓		✓	✓
	KRONOS KRONOS 58 ETTA.3000						✓		


* Not available


CAMPAGNOLA
KOALA
MADE IN ITALY
EXTRAPOWER BATTERY CHARGER
CHLY
EXTRA
CAMPAGNOLA



MADE IN ITALY

GSM EL TORO EVOLUZIONE K



Hook available in two sizes.
Maximum customisation.
4.5 cm (standard)
or 7.5 cm (optional)

Compatible with several extension poles.
Maximum customisation

Powerful.
The engine can shake branches 50–60 mm in diameter

EXCLUSIVE ANTI-VIBRATION SYSTEM
CAMPAGNOLA PATENT

ENGINE	2-stroke engine, 63.3 cc - 2.6 HP
WEIGHT	13.5 kg

GSM ALUMINIUM EXTENSION POLES




FIXED EXTENSION POLES

Fixed extension pole 330 cm	2.45 kg
Fixed extension pole 200 cm	1.50 kg
Fixed extension pole 130 cm	0.97 kg
Joining clamp	

METAL TOP

MADE IN ITALY

TUONO EVO




OPPOSED MOVEMENT



Technopolymer teeth.
Their tuning-fork shape makes it easy to harvest any olive variety

"Short stroke" system.
Reduces the opening to increase harvesting speed

Compatible with several extension poles.
Maximum customisation (p. 23)





29.5 cm	OPENING	22.5 cm
1400 rpm	SPEED	1800 rpm
7 bar	MAX PRESSURE	6 bar
200 l/min	AIR CONSUMPTION	150 l/min

DIABLO


MADE IN ITALY

DIABLO 1800 EVO






OPPOSED MOVEMENT



Technopolymer teeth.
Excellent penetration into the canopy

"Short stroke" system.
Reduces the opening to increase harvesting speed


Compatible with several extension poles.
Maximum customisation (p. 23)




33.5 cm	OPENING	22.5 cm
1400 rpm	SPEED	1800 rpm
7 bar	MAX PRESSURE	6 bar
200 l/min	AIR CONSUMPTION	150 l/min

STORM V1

MADE IN ITALY





OPPOSED MOVEMENT

Carbon teeth.
Excellent penetration into dense, hard-to-reach canopies

Compatible with several extension poles.
Maximum customisation (p. 23)



OPENING	48 cm
SPEED	1800 rpm
MAX PRESSURE	8 bar
AIR CONSUMPTION	200 l/min





MADE IN ITALY

TELESCOPIC EXTENSION POLES

Telescopic extension pole 181 - 317.5 cm	1.54 kg
Telescopic extension pole 138 - 234 cm	1.26 kg



FIXED EXTENSION POLES

Fixed extension pole 300 cm	0.97 kg
Fixed extension pole 250 cm	0.83 kg
Fixed extension pole 200 cm	0.71 kg
Fixed extension pole 150 cm	0.57 kg
Fixed extension pole 100 cm	0.43 kg
Fixed extension pole 50 cm	0.30 kg



EXTENSION POLES WITH HANDLE

Telescopic extension pole 200 - 330 cm	1.70 kg
Telescopic extension pole 150 - 250 cm	1.40 kg
Telescopic extension pole 100 - 150 cm	1.03 kg



TELESCOPIC EXTENSION POLES

Telescopic extension pole 181 - 317.5 cm	1.24 kg
Telescopic extension pole 138 - 234 cm	1.02 kg



FIXED EXTENSION POLES

Fixed extension pole 300 cm	0.72 kg
Fixed extension pole 250 cm	0.62 kg
Fixed extension pole 200 cm	0.53 kg
Fixed extension pole 150 cm	0.43 kg

ACCESSORIES

Handle



Valve



MC 950

MADE IN ITALY



MC 650



Kohler KD15-350 6.8 HP	ENGINE	Kohler KD15-350 6.8 HP
9/11 bar	MAX PRESSURE	9/11 bar
820 l/min	AIR DISPLACEMENT	582 l/min

MC 660

MADE IN ITALY



MC 660 KIT



Honda GX 270 8.4 HP	ENGINE	Honda GX 270 8.4 HP
9/11 bar	MAX PRESSURE	9/11 bar
582 l/min	AIR DISPLACEMENT	582 l/min

MC 550

MADE IN ITALY



MC 550 KIT



Honda GX 200 5.5 HP	ENGINE	Honda GX 200 5.5 HP
9/11 bar	MAX PRESSURE	9/11 bar
554 l/min	AIR DISPLACEMENT	554 l/min

MC 658

MADE IN ITALY



MC 658 KIT



Campagnola EHR 210 7 HP	ENGINE	Campagnola EHR 210 7 HP
9/11 bar	MAX PRESSURE	9/11 bar
582 l/min	AIR DISPLACEMENT	582 l/min

MC 545

MADE IN ITALY



MC 545 KIT TUONO RS



Honda GP 160 4.8 HP	ENGINE	Honda GP 160 4.8 HP
9/11 bar	MAX PRESSURE	9/11 bar
554 l/min	AIR DISPLACEMENT	554 l/min

MC 545 KIT DIABLO RS

MADE IN ITALY



MC 548



Honda GP 160 4.8 HP	ENGINE	Campagnola EHR 210 7 HP
9/11 bar	MAX PRESSURE	9/11 bar
554 l/min	AIR DISPLACEMENT	554 l/min

MC 548 KIT TUONO RS

MADE IN ITALY



MC 548 KIT DIABLO RS



Campagnola EHR 210 7 HP	ENGINE	Campagnola EHR 210 7 HP
9/11 bar	MAX PRESSURE	9/11 bar
554 l/min	AIR DISPLACEMENT	554 l/min

MC 550 SEMOVENTE



MADE IN ITALY

ENGINE	Honda GX 200 Sem. 5.5 HP
MAX PRESSURE	9/11 bar
AIR DISPLACEMENT	554 l/min



ECOPLUS 1700 TANDEM

MADE IN ITALY



ECOPLUS 1500



40 HP	MINIMUM POWER	25 HP
9/11 bar	MAX PRESSURE	9/11 bar
1640 l/min	AIR DISPLACEMENT	1500 l/min

ECOPLUS 1000

MADE IN ITALY



ECOPLUS 520



20 HP	MINIMUM POWER	18 HP
9/11 bar	MAX PRESSURE	9/11 bar
1018 l/min	AIR DISPLACEMENT	554 l/min


ECOPLUS



STARBERRY MD2





Two types of hook.
Maximum customisation

Extremely easy to handle.
Ergonomic handle with short-stroke trigger

Versatile.
Batteries compatible with various Green Line pruning tools

FREQUENCY	600 - 2200 strokes/min
AUTONOMY	3 - 4 hours per battery
WEIGHT	0.90 kg
BATTERIES	2.5 Ah - 14.4 V

HARVESTING CART



Safe and practical.
Equipped with a protective tarpaulin to preserve the integrity of the fruit.



AUTHORISED CAMPAGNOLA DEALER STAMP

CAMPAGNOLA S.r.l.

Via Lazio 21 - 40069
Zola Predosa (BO) - Italy

star@campagnola.it

NB: Images are for illustrative purposes only, and Campagnola reserves the right to modify the design, technical specifications and equipment without prior notice. In the event of any discrepancy between the information contained in this document and that published on the website, the information published on the official website shall prevail. Campagnola accepts no responsibility for any printing errors.

CATA.0086